


```
A # STOCKHOLM 1.0
rope AGGCAUUUGAACCAUUAUUGUGCGCCUAACAUC..GCCAAAGCACAA
speed GGGUAAUUUGAACUGUAUUUAUGCAGCCAGCAUAAUGUGGAACCAUAA
topology AGGUAAUUUGAACCGUAUUGUGCAGCCUAGCAUGA.GUUAAGCACAA
#=GC SS_cons <<<<.....>>>>.....
#=GC SS_cons_1 .....<<<<.....>>>>..
#=GC R2R_LABEL .....1.2...3.....
#=GC SUBFAM_pknnot_R2R_LABEL -----.....

#=GF R2R ignore_ss_except_for_pairs _1 outline
#=GF R2R var_backbone_range 1 2
#=GF R2R place_explicit 3 3-- -45 1 0 0 0 -90

#=GF SUBFAM_PERL_PRED pknot return 1;
#=GF SUBFAM_pknnot_R2R subst_ss _1 primary
#=GF SUBFAM_pknnot_R2R no5
#=GF SUBFAM_pknnot_R2R outline_nuc all
#=GF SUBFAM_pknnot_R2R set_dir pos0 90 f
//
```

**B**  
demo-pknot-callout



demo-pknot-callout-pknot  
subfam\_weight=1



**C**  
The demo motif

